

**ELECTRICAL SERVICE & POWER SUPPLY
(ASSEMBLY & DISMANTLING PERIODS)****Due Date: Oct. 14, 2016**Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691- 7147, +(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon E-mail: itu@expotech.co.th Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:

Contact Name:

E-mail:

(

) Date:

Tax ID no.

Section A : Temporary power point charge for stand contractors using their own equipment during move-in & move-out periods.☐ Temporary Power Move-In☐ Temporary Power Move-Out

Please mark "x" in the box

No.	Item	Price/Day	Qty./Day	Date	Total Cost (Baht)
1	Breaker 15 Amp/220V 1 Phase 50Hz.	1,000			
2	Breaker 15 Amp/380V 3 Phase 50Hz.	2,000			
3	Breaker 30Amp/220V 1 Phase 50Hz.	2,000			
4	Breaker 30Amp/380V 3 Phase 50Hz.	4,000			
5	Breaker 60Amp/380V 3 Phase 50Hz.	8,125			
6	Breaker 100Amp/380V 3 Phase 50Hz.	12,500			
Sub Total					
Vat 7%					
Total					

* Breakers are not included socket, if needed. Please contact Exposition Technology

ORDERS ARE VALID ONLY WHEN ACCOMPANIED WITH PAYMENT IN FAVOR OF

A/C Name : Exposition Technology Co.,Ltd.

A/C No. : 151-1-25718-1

Swift Code : AYUDTHBK

A/C Type : Saving

Bank's Name : BANK OF AYUDHYA PUBLIC COMPANY LIMITED (HUAY KWANG)

* Please fax or email payment evident to us at fax no or email in the above address.

* Withholding Tax 3% were applicable when the amount of orders above at least 1,000 THB. Exhibitors need to provide an official Withholding Tax form together with payment documents.

* Exhibitor is liable for any transfer fee.

****Important notice**** -Exhibitors or contractors who require to use the electricity. Please choose the size of breaker that suite for the need of using. In order to meet safety standards and avoid the accidents that may occur from using the full range of power supply, exhibitor and contractors must put the allowance for safety factor at least 20% of usage.

Remarks:

- No modification on equipment is allowed. In case of damage, exhibitor will be penalized 20 times of show day price list.
- The standard electricity are 220V and 380V. Fluctuation is around $\pm 10\%$ It is recommended that exhibitors may use electrical stabilizer to prevent their equipment from electric surge.
- To request 24Hrs of service, the price will be double from the above price list. Please specify 24Hrs needed. Otherwise, the 24Hrs. power will not be provided.
- The distance of electrical cable is 2 meters from the hatch. Additional cable will be charged at 200 THB/Meter.(Excluded vat 7%)
- There's no socket tab from breaker. If socket is required to tab from breaker, there's a cost at 300 THB and 1 socket will tab from breaker 15A220V1P only. (Excluded vat 7%)
- Relocation of electrical equipment is 200THB/each electrical item and 1,000THB/breaker. Relocation of breaker from 60A380V3P to upper, the cost is 2,000THB/breaker. (Excluded vat 7%)
- Cancellation for temporary power will not be refunded on set up, show day and tear down day.
- We accept cash only for onsite payment. There's 3% of surcharge for credit card payment and exhibitor is liable for any transfer fees.
- Electricity will start on the date that exhibitors or contractors have indicated in the forms at 8.00AM for normally.

ELECTRICAL SERVICE & POWER SUPPLY (EXHIBITION PERIOD)**Due Date: Oct. 14, 2016**Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691 -7147,+(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon E-mail: itu@expotech.co.th Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:

Contact Name:

E-mail:

(

) Date:

Tax ID no.

Section B : Breakers for exhibits (not for lighting and including power consumption)

No.	Item	Early Bird Oct 14, 2016	Standard Oct 15-Nov 4, 2016	On-Site Nov 5-17, 2016	Qty.	Total Cost (Baht)
1	Socket (5 Amp Fuse) 220 V 50Hz	788	863	1,125		
2	Socket (5 Amp Fuse) 220 V 50Hz (24 Hrs.)	1,575	1,738	2,263		
3	Breaker 15 Amp/220 V 1 Phase 50Hz.	2,763	3,025	3,938		
4	Breaker 15 Amp/380 V 3 Phase 50Hz.	5,250	5,775	7,513		
5	Breaker 30 Amp/220 V 1 Phase 50Hz.	5,250	5,775	7,513		
6	Breaker 30 Amp/380 V 3 Phase 50Hz.	11,288	12,413	16,150		
7	Breaker 60 Amp/380 V 3 Phase 50Hz.	22,838	25,125	32,650		
8	Breaker 100 Amp/380 V 3 Phase 50Hz.	34,963	38,463	49,875		
9	Breaker 150 Amp/380 V 3 Phase 50Hz.	54,338	59,775	77,700		
10	Breaker 200 Amp/380 V 3 Phase 50Hz.	77,963	85,763	111,488		
Sub Total						
Vat 7%						
* Breakers are not included socket.						Total

ORDERS ARE VALID ONLY WHEN ACCOMPANIED WITH PAYMENT IN FAVOR OF

A/C Name : Exposition Technology Co.,Ltd.

A/C No. : 151-1-25718-1

Swift Code : AYUDTHBK

A/C Type : Saving

Bank's Name : BANK OF AYUDHYA PUBLIC COMPANY LIMITED (HUAY KWANG)

* Please fax or email payment evident to us at fax no or email in the above address.

* Withholding Tax 3% were applicable when the amount of orders above at least 1,000 THB. Exhibitors need to provide an official Withholding Tax form together with payment documents.

* Exhibitor is liable for any transfer fee.

****Important notice**** -Exhibitors or contractors who require to use the electricity. Please choose the size of breaker that suite for the need of using. In order to meet safety standards and avoid the accidents that may occur from using the full range of power supply, exhibitor and contractors must put the allowance for safety factor at least 20% of usage.

Remarks

- One electric 5A socket is limited for one merchandise. Extension cord and connecting for lighting are not allowed to prevent the overload of electricity.
- No modification on equipment is allowed. In case of damage, exhibitors will be penalized 20 times of show day price list.
- The standard electricity are 220V and 380V. Fluctuation is around $\pm 10\%$ It is recommended that exhibitors may use electrical stabilizer to prevent their equipment from electric surge.
- To request 24Hrs of service, the price will be double from the above price list. Please specify 24Hrs needed. Otherwise, the 24Hrs power will not be provided.
- The distance of electrical cable is 2 meters from the hatch. Additional cable will be charged at 200 THB/Meter. (Excluded vat 7%)
- There's no socket tab from breaker. If socket is required to tab from breaker, there's a cost at 300 THB and 1 socket will tab from breaker 15A220V1P only. (Excluded vat 7%)
- Relocation of electrical equipment is 200THB/each electrical item and 1,000THB/breaker. Relocation of breaker from 60A380V3P to upper, the cost is 2,000THB/breaker. (Excluded vat 7%)
- Exhibitor can get 30% refund for any cancellation made during installation day. There will be no refund for cancellation during show days.
- We accept cash only for onsite payment. There's 3% of surcharge for credit card payment and exhibitor is liable for any transfer fees.
- Special rate and standard rate are valid only in the case of order with full payment that made no later than the date of delivery. Onsite rate is valid on the installation day.
- Electricity will start at 1PM on the last installation day.

ELECTRICAL SERVICE & POWER SUPPLY (EXHIBITION PERIOD)**Due Date: Oct. 14, 2016**Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691 -7147, +(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon

E-mail: itu@expotech.co.th

Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:

Contact Name:

E-mail:

(

) Date:

Tax ID no.

No.	Item	Early Bird Oct 14, 2016	Standard Oct 14-Nov 4, 2016	On-Site Nov 5-17, 2016	Qty	Total Cost (Baht)
Section C: Equipment service plus individual fittings (including power consumption)						
1	Spotlight 100W (Standard)	675	738	963		
2	Spotlight 100W with arm	675	738	963		
3	Fluorescent Light 1.2 M., 40W	600	675	863		
4	Down Light 60W	625	700	913		
5	Halogen Lamp 500W, 220V	2,025	2,225	2,888		
Section D: Breakers for lighting (including power consumption)						
1	Breaker 15Amp/220 V 1 Phase 50Hz.	7,813	8,600	11,163		
2	Breaker 15Amp/380 V 3 Phase 50Hz.	23,425	25,800	33,475		
3	Breaker 30Amp/220 V 1 Phase 50Hz.	15,625	17,200	22,313		
4	Breaker 30Amp/380 V 3 Phase 50Hz.	46,863	51,588	66,938		
5	Breaker 60Amp/380 V. 3 Phase 50Hz.	71,663	78,825	102,500		
6	Breaker 100Amp/380 V. 3 Phase 50Hz.	107,500	118,250	153,750		
Section E: Power point charge for exhibitors using their own equipment						
1	Connection (by Exhibitor) per 100W unit	325	363	475		
2	Connection (by Contractor) per 100W unit	388	438	563		
					Sub Total	
					Vat 7%	
					Total	

ORDERS ARE VALID ONLY WHEN ACCOMPANIED WITH PAYMENT IN FAVOR OF

A/C Name : Exposition Technology Co.,Ltd.

A/C No. : 151-1-25718-1

Swift Code : AYUDTHBK

A/C Type : Saving

Bank's Name : BANK OF AYUDHYA PUBLIC COMPANY LIMITED (HUAY KWANG)

* Please fax or email payment evident to us at fax no or email in the above address.

* Withholding Tax 3% were applicable when the amount of orders above at least 1,000 THB. Exhibitors need to provide an official Withholding Tax form together with payment documents.

* Exhibitor is liable for any transfer fee.

****Important notice**** -Exhibitors or contractors who require to use the electricity. Please choose the size of breaker that suite for the need of using. In order to meet safety standards and avoid the accidents that may occur from using the full range of power supply, exhibitor and contractors must put the allowance for safety factor at least 20% of usage.

Remarks

- No modification on equipment is allowed. In case of damage, exhibitors will be penalized 20 times of show day price list.
- The standard electricity are 220V and 380V. Fluctuation is around $\pm 10\%$ It is recommended that exhibitors may use electrical stabilizer to prevent their equipment from electric surge.
- To request 24Hrs of service, the price will be double from the above price list. Please specify 24Hrs needed. Otherwise, the 24Hrs power will not be provided.
- The distance of electrical cable is 2 meters from the hatch. Additional cable will be charged at 200 THB/Meter. (Excluded vat 7%)
- There's no socket tab from breaker. If socket is required to tab from breaker, there's a cost at 300 THB and 1 socket will tab from breaker 15A220V1P only. (Excluded vat 7%)Relocation of electrical equipment is 200THB/each electrical item and 1,000THB/breaker.
- Relocation of breaker from 60A380V3P to upper, the cost is 2,000THB/breaker. (Excluded vat 7%)
- Exhibitor can get 30% refund for any cancellation made during installation day. There will be no refund for cancellation during show days.
- We accept cash only for onsite payment. There's 3% of surcharge for credit card payment and exhibitor is liable for any transfer fees.
- Special rate and standard rate are valid only in the case of order with full payment that made no later than the date of delivery. Onsite rate is valid on the installation day.
- Electricity will start at 1PM on the last installation day.

PIPED SERVICES (WATER SUPPLY & DRAINAGE)**Due Date: Oct. 14, 2016**Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691 -7147, +(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon E-mail: itu@expotech.co.th Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:

Contact Name:

E-mail:

(

) Date: Tax ID no.

Section F: Water Supply and Drainage

No.	Item	Early Bird Oct 14, 2016	Standard Oct 15-Nov 4, 2016	On-Site Nov 5-17, 2016	Qty.	Total Cost (Baht)
1	Water Intel (13 mm.) & Outlet (25 mm.) Hoses	7,875	8,663	11,263		
2	Water Intel (13 mm.) & Outlet (25 mm.) Hoses w / Wash Basin	10,625	11,813	15,363		
* All relocation of water system will be charged at a rate of 1,000 THB per one.						Sub Total
						Vat 7%
						Total

ORDERS ARE VALID ONLY WHEN ACCOMPANIED WITH PAYMENT IN FAVOR OF**A/C Name** : Exposition Technology Co.,Ltd.**A/C No.** : 151-1-25718-1**Swift Code** : AYUDTHBK**A/C Type** : Saving**Bank's Name** : BANK OF AYUDHYA PUBLIC COMPANY LIMITED (HUAY KWANG)

* Please fax or email payment evident to us at fax no or email in the above address.

* Withholding Tax 3% were applicable when the amount of orders above at least 1,000 THB. Exhibitors need to provide an official Withholding Tax form together with payment documents.

* Exhibitor is liable for any transfer fee.

**** Important notice ****

- Exhibitors must treat the water temperature to room temperature before draining. In case of damage, exhibitors will be penalized 20 times of show day price list.
- Exhibitors who order only water inlet/outlet must bring the grease trap tank as well.
- In case that the water is contaminated with chemical, exhibitors must do a wastewater treatment before draining.

Remarks

1. The distance of water pipe is 2 meters from the hatch. Additional pipe will be charged at 200 THB/Meter. (Excluded vat 7%) or exhibitors can bring their own hose connectors.
2. No modification on equipment is allowed. In case of damage, exhibitors will be penalized 20 times of show day price list.
3. This price includes water supply.
4. Relocation of water system is 1,000THB/each system. (Excluded vat 7%)
5. Exhibitor can get 30% refund for any cancellation made during installation day. There will be no refund for cancellation during show days.
6. We accept cash only for onsite payment. There's 3% of surcharge for credit card payment and exhibitor is liable for any transfer fees.
7. Special rate and standard rate are valid only in the case of order with full payment that made no later than the date of delivery. Onsite rate is valid on the installation day.
8. The water system will start at 1PM on the last installation day.

Due Date: Oct. 14, 2016

PIPED SERVICES (COMPRESSED AIR)

Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691 -7147,+(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon E-mail: itu@expotech.co.th Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:

Contact Name:

E-mail:

() Date: Tax ID no.

Section G: Compressed Air

No.	Tank Capacity Liters	Pressure		Free Air Delivery		Price / Day	Qty.	Date of Use	Total Cost (Baht)
		PSI	Bar	L / Mins	CFM				
(1/2 HP)	64	100	7	119.60	4.22	2,000			
(1 HP)	92	100	7	203.20	7.17	2,500			
(2 HP)	148	100	7	330.00	11.66	3,000			
(3 HP)	165	100	7	550.00	21	5,000			
(5 HP)	260	100	7	890.00	32	7,500			
(10 HP)	315	100	7	1,780.00	65.74	10,625			
(15 HP)	520	100	7	2,850.00	110.76	17,500			
Sub Total									
Vat 7%									
Total									

ORDERS ARE VALID ONLY WHEN ACCOMPANIED WITH PAYMENT IN FAVOR OF

A/C Name : Exposition Technology Co.,Ltd.

A/C No. : 151-1-25718-1

Swift Code : AYUDTHBK

A/C Type : Saving

Bank's Name : BANK OF AYUDHYA PUBLIC COMPANY LIMITED (HUAY KWANG)

* Please fax or email payment evident to us at fax no or email in the above address.

* Withholding Tax 3% were applicable when the amount of orders above at least 1,000 THB. Exhibitors need to provide an official Withholding Tax form together with payment documents.

* Exhibitor is liable for any transfer fee.

** Important notice **

- We are not accepting any requirements of this service on show days.
- Our compressed air outlet does not equip with an air filter or air dryer. In case of requirements, please make a special request with full payment before installation day. (The price depends on each special equipment.)

Remarks

- The distance of air cable is 2 meters from the hatch. Additional cable will be charged at 200 THB/Meter. (Excluded vat 7%) or exhibitors can bring their own hose connectors.
- No modification on equipment is allowed. In case of damage, exhibitors will be penalized 20 times of show day price list.
- This price includes power supply.
- Relocation of compressed air system is 1,000THB/each system. (Excluded vat 7%)
- Cancellation for this service will not be refunded on set up, show day and tear down day.
- We accept cash only for onsite payment. There's 3% of surcharge for credit card payment and exhibitor is liable for any transfer fees.
- The compressed air will deliver to exhibitor's booth on the last installation day. The electrical for compressed air will start at 1PM on the same day.
- Exhibitors can bring your own 0.5 HP compressed air for use in this fair but if more than 0.5 HP, exhibitors have to order from Exposition Technology Co., Ltd. Only.

SERVICES LOCATION PLAN

Due Date: Oct. 14, 2016

Please fill out and return this form to: **Exposition Technology Co., Ltd.**

252 Soi Yu-Chareon 29, Ratchadapisek Road, Samsennok, Huay Kwang, Bangkok 10310 Thailand

Tel: +(66) 2691 6093-4 Fax: +(66) 2691 -7147, +(66) 2276-4820

Contact Person: Miss.Weena , Mr.Uttapon E-mail: itu@expotech.co.th Tax ID No.: 010-554-2010-406

Company Name:

Booth No.:

Address:

Tel:

Mobile:

Fax:


Contact Name:

E-mail:


() Date



Compressed Air



Socket



Fluorescent



Water Supply



Connection (By ExpoTech)



Spotlight (Standard)



Water Pipe



Connection (By Exhibitor)



Spotlight With Arm



Breaker

Scale: 1m x 1m

Back

Right

Booth No.

Left

Booth No.

Remark

1. Relocation of electrical equipment is 200THB/each electrical item and 1,000THB/breaker. Relocation of breaker from 60A380V3P to upper, the cost is 2,000THB/breaker. (Excluded vat 7%)

Rules and Regulations

Exposition Technology Co., Ltd will be responsible for the electrical service system as follows:

1. General Service

- 1.1. There are 2 main power supply circuits, the "Lighting Power Circuit" and the "Exhibit Power Circuit"
- 1.2. Single phase AC 220 V/ 50 Hz, and three phases with neutral AC 380 V/ 50 Hz with a fluctuation of approximately 10%. Any Exhibitors whose equipment is particularly sensitive should arrange for stabilizers.
- 1.3. Electrical power such as single phase 110 V 50 Hz or three phases 220 V / 50 Hz will be specially arranged by Exposition Technology staff on request.
- 1.4. Exhibitors or contractors who need to use electricity: please choose the size of breaker that is suitable for your use purposes. In order to meet safety standards and avoid the accidents that may occur from using the full range of power supply, exhibitors and contractors must put the allowance for safety factor at at least 20% of usage. All exhibitors and contractors must use standard cable and ground cable to wiring for safety everywhere that electricity is being used.
- 1.5. All electrical motors must have independent protection against excessive current surges. The following starter system should therefore be used:
 - 1.5.1.1. Direct online – not over 5 Hp
 - 1.5.1.2. Star-deltas – 5 to 25 Hp
 - 1.5.1.3. Auto transformers – above 25 Hp

2. Standard Booth Service

- 2.1. The electrical system in the standard booth is 3 x 3 m. **There are 2 sets of Fluorescent 28W (white light) and 1 set of 5 amp socket (cannot be use with lighting).** Both items are inclusive of electrical consumption.
- 2.2. Exhibitors can request a service form and use to order the electrical system as follows:
 - 2.2.1. **Section A: Breaker for set up and tear down (including power consumption)**
 - 2.2.2. **Section B: Breakers for exhibits (not for lighting and including power consumption)**
 - 2.2.3. **Section C, D: Electrical equipment and breakers for lighting (including power consumption)**
 - 2.2.4. **Section E: Power point charge for exhibitors using their own equipment**
- 2.3. For additional services, the exhibitor has to specify the position of spotlights and water connection on the floor plan. Please indicate these positions in the form.
- 2.4. Raw Space Exhibitors must complete section **C and D.**
- 2.5. Exposition Technology reserves the right to disconnect the electrical supply to any installations by other contractors which, in the opinion of the electrical contractor, are dangerous or likely to cause annoyance to others.
- 2.6. Power supplies to stands will be switched off 30 minutes after the exhibition has closed and 60 minutes after the end of the exhibition on the last show day, except the 24 hrs service.
- 2.7. Any connections or adapters that are against the rules and regulations will be disconnected without notice. This includes multi-outlet adapters. Extensions from the socket point are strictly prohibited.

3. Special Booth Service

- 3.1. Exhibitors who apply for “Space Only” specially designed stands should submit their electrical order together with their layout plan before the deadline. An inspection will be carried out before turning on the power supply.
- 3.2. Exhibitors must submit the names of the electrical engineers, technicians, and electricians who will carry out their electrical installations or set up their exhibits in order for them to be authorized by Exposition Technology Co.,Ltd. Exhibitors should submit an electrical power supplies form to Exposition Technology Co., Ltd. Payment should be made before due date. For safety, exhibitors are not allowed to input any equipment and electrical installation to the main terminal. In case of any illegal connection, the contractor reserves the right to disconnect the electrical supply.
- 3.3. Exhibitors or their contractors who wish to bring in special lights to be used in their stands should receive prior approval from the organizer before the deadline. Applicants should submit the following requirements when applying:
 - 3.3.1 Contractor Name
 - 3.3.2 Names and identity card/ passport numbers of the attending electrical personnel
 - 3.3.3 Specifications and rating in watts/ unit of the light fitting
 - 3.3.4 Layout line drawings of the electrical installations
 - 3.3.5 Order form
- 3.4. Approved electricians can collect their personal entry working passes during the official moving in period from the organizers' show management office in the exhibition hall.
- 3.5. A proper power input terminal should be installed by exhibitors or their contractors before the official electrical contractor can connect the electrical supply line. Once the installation has been inspected by Exposition Company, the power will be turned on.
- 3.6. All socket points must be ordered through Exposition Technology, otherwise no socket points are allowed in the exhibitor's booths / stands.
- 3.7. Any connections or adapters that against the rules and regulations will be disconnected without notice. This includes multi-outlet adapters; extensions from the socket point are strictly prohibited.
- 3.8. No flashing lights will be permitted, unless they form as integral part of exhibit. Sequence-lit displays may be used.
- 3.9. Exposition Technology Co., Ltd. reserves the rights to disconnect the electrical supply to any installations that are dangerous or likely to cause annoyance to others.
- 3.10. All electrical power supplies must be installed by following the safety and regulations, without exception.

The electrical inspector will immediately disconnect the power supply in the event of any violation of the rules.

In case of damage, exhibitors will be fined 20 times the show day price list in accordance with the rules and regulations.

Customer satisfaction is the goal of our performance.



ELECTRICAL EQUIPMENT



Spotlight 100W. (Standard)



Spotlight 100W. (With Arm)



Spotlight Halogen 50W. (With Arm)



Downlight 60W. (Warmwhite)



Downlight Halogen 50W. (Warmwhite)



Fluorescent 1.2 M.



Downlight 18W. (Daylight).



Metalhalide 150W. (Daylight)



Halogen 500W. (Warmwhite)



Breaker 15, 30 Amp 220V. 1Phase 50 Hz.

Breaker 15, 30, 60, 100, 150, 200 Amp 380V. 3Phase 50Hz.



Socket 5Amp. 220v. 50Hz.



Connecting by Exhibitor

**Total Utilities Solution
For Event And Exposition**

EXPOSITION TECHNOLOGY CO.,LTD.

252 Soi Yu-Charoen 29, Ratchadapisek Rd., Samsennok, Huay Kwang, BKK 10310

TEL : +66(0)2691-6093-4, 691-7146, 691-6318-20 FAX : +66(0)2276-3940, 691-7147

Email : info@expotech.co.th Website : www.expotech.co.th